

**TBi Spritzerschutzmittel HT**
Art. no.: 392P000075**SECTION 1: Identification of the substance/mixture and of the company/ undertaking****1.1 Product identifier**

TBi Spritzerschutzmittel HT (Art.no. 392P000075)

1.2 Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses**

Welding and soldering products

1.3 Details of the supplier of the safety data sheet**Supplier (manufacturer/importer/only representative/downstream user/distributor)**

TBi Industries GmbH

Street : Ruhberg 14**Postal code/city :** 35463 Fernwald-Steinbach**Telephone :** +49(0)6404/9171 63**Telefax :** +49(0)6404/9171 60**Information contact :** info@tbi-industries.com**1.4 Emergency telephone number**

+49(0)6404/9171-0 (during normal office hours)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008 [CLP]**

None

2.2 Label elements

None

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Hazardous ingredients**

Alcohols, C16-18, ethoxylated, propoxylated ; EC No. : 614-209-5; CAS No. : 68002-96-0

Weight fraction : $\geq 1 - < 5 \%$

Classification 1272/2008 [CLP] : Aquatic Chronic 3 ; H412

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

None

4.3 Indication of any immediate medical attention and special treatment needed

None

TBI Spritzerschutzmittel HT
Art. no.: 392P000075**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**Water Foam Extinguishing powder Carbon dioxide (CO₂) Sand Nitrogen Extinguishing blanket**5.2 Special hazards arising from the substance or mixture****Hazardous combustion products**Carbon dioxide (CO₂) Carbon monoxide**5.3 Advice for firefighters**

The product itself does not burn. Adapt extinguishing measures to suit the environment. Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Keep container tightly closed.

7.2 Conditions for safe storage, including any incompatibilities

Keep/Store only in original container. Protect against Frost

Hints on joint storage

Storage class (TRGS 510): 12

7.3 Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

None

8.2 Exposure controls**Personal protection equipment****Eye/face protection**

Wear suitable safety goggles in case of splash.

Suitable eye protection

EN 166.

Skin protection**Hand protection**

Wear protective gloves in case of longer lasting skin contact.

Suitable gloves type : EN 374.

TBI Spritzerschutzmittel HT
Art. no.: 392P000075

Suitable material : NBR (Nitrile rubber)
Breakthrough time (maximum wearing time) : 480 min.
Thickness of the glove material : 0.4 mm

Remark : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

General health and safety measures

Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. P362+P364 - Take off contaminated clothing and wash it before reuse. P264 - Wash hands thoroughly after handling.

8.3 Additional information

No tests have been performed. Selection made for preparations according to the best available knowledge and information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance : liquid

Colour : white

Odour : characteristic

Safety relevant basis data

Initial boiling point and boiling range :	(1013 hPa)	approx.	100	°C	
Flash point :					not relevant
Lower explosion limit :					not relevant
Upper explosion limit :					not relevant
Vapour pressure :	(50 °C)				not relevant
Density :	(20 °C)	approx.	1	g/cm ³	
Solvent separation test :	(20 °C)				not relevant
pH :		approx.	8,6		
Flow time :	(20 °C)				not relevant
Maximum VOC content (EC) :			0	Wt %	DIN-cup 4 mm
Maximum VOC content (Switzerland) :			0	Wt %	

9.2 Other information

None

SECTION 10: Stability and reactivity**10.1 Reactivity**

No information available.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

None

Acute effects**Acute oral toxicity**

Parameter : LD50 (Alcohols, C16-18, ethoxylated, propoxylated ; CAS No. : 68002-96-0)

TBI Spritzerschutzmittel HT
Art. no.: 392P000075

Exposure route : Oral
Species : Rat
Effective dose : > 2000 mg/kg
Method : OECD 401

Acute dermal toxicity

Parameter : LD50 (Alcohols, C16-18, ethoxylated, propoxylated ; CAS No. : 68002-96-0)
Exposure route : Dermal
Species : Rat
Effective dose : > 2000 mg/kg
Method : OECD 402

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Germ cell mutagenicity****In vitro mutagenicity**

Parameter : Gene-mutations microorganisms (Alcohols, C16-18, ethoxylated, propoxylated ; CAS No. : 68002-96-0)
Exposure route : In vitro mutagenicity
Species : Salmonella typhimurium
Test result : Negative.
Method : OECD 471 (Ames test)

11.2 Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

11.3 Other adverse effects

Has degreasing effect on the skin.

11.4 Additional information

Preparation not tested. The statement is derived from the properties of the single components.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity****Acute (short-term) fish toxicity**

Parameter : LC50 (Alcohols, C16-18, ethoxylated, propoxylated ; CAS No. : 68002-96-0)
Species : Cyprinus carpio (Common Carp)
Effective dose : > 1 - 10 mg/l
Exposure time : 96 h
Method : OECD 203

Acute (short-term) daphnia toxicity

Parameter : EC50 (Alcohols, C16-18, ethoxylated, propoxylated ; CAS No. : 68002-96-0)
Species : Daphnia magna (Big water flea)
Effective dose : > 10 - 100 mg/l
Exposure time : 48 h
Method : OECD 202

Acute (short-term) algae toxicity

Parameter : ErC50 (Alcohols, C16-18, ethoxylated, propoxylated ; CAS No. : 68002-96-0)
Species : Selenastrum capricornutum
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : > 10 - 100 mg/l
Exposure time : 72 h
Method : OECD 201

Bacteria toxicity

Parameter : EC10 (Alcohols, C16-18, ethoxylated, propoxylated ; CAS No. : 68002-96-0)
Species : Pseudomonas putida
Effective dose : > 2000 mg/l
Exposure time : 5,33 h

12.2 Persistence and degradability**Biodegradation**

Parameter : Biodegradation (Alcohols, C16-18, ethoxylated, propoxylated ; CAS No. : 68002-96-0)
Inoculum : Biodegradation
Evaluation parameter : Aerobic
Effective dose : > 60 %
Exposure time : 28 d
Method : OECD 301B

12.3 Bioaccumulative potential

TBI Spritzerschutzmittel HT
Art. no.: 392P000075

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Other adverse effects

None

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. List of proposed waste codes/waste designations in accordance with EWC

13.1 Waste treatment methods**Product/Packaging disposal****Waste codes/waste designations according to EWC/AVV****Waste code product**

12 01 99 - wastes not otherwise specified.

Waste code packaging

15 01 02 - plastic packaging.

Waste treatment options**Appropriate disposal / Package**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

SECTION 14: Transport information**14.1 UN number**

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

AT: Labelling according to Austrian regulations (Chemikaliengesetz/ChemV).

CH: Chemikalienverordnung (ChemV) and Chemikalien-Risikoreduktions-Verordnung (Chem RRV) are complied.

Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to AwSV

Other regulations, restrictions and prohibition regulations**Betriebssicherheitsverordnung (BetrSichV)**

No flammable liquid according to BetrSichV.

15.2 Chemical safety assessment

No information available.

TBI Spritzerschutzmittel HT
Art. no.: 392P000075**SECTION 16: Other information****16.1 Indication of changes**

02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients · 15. Water hazard class (WGK)

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches Übereinkommen über die Beförderung gefährlicher Güter auf der Straße)
AOX: adsorbierbare organisch gebundene Halogene
CAS: Chemical Abstracts Service (Unterabteilung der American Chemical Society)
CLP: Verordnung (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (Classification Labelling and Packaging)
EAK / AVV: europäischer Abfallartenkatalog / Abfallverzeichnis-Verordnung
ECHA: Europäische Chemikalienagentur (European Chemicals Agency)
EINECS: : Altstoffverzeichnis (European Inventory of Existing Commercial Chemical Substances)
GHS: Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien (Globally Harmonized System of Classification and Labelling of Chemicals)
IATA: Internationale Luftverkehrs-Vereinigung (International Air Transport Association)
ICAO: Internationale Zivilluftfahrtorganisation (International Civil Aviation Organization)
IMDG: Gefahrgutkennzeichnung für gefährliche Güter im Seeschiffverkehr (International Maritime Code for Dangerous Goods)
RID: Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr (Règlement concernant le transport international ferroviaire de marchandises dangereuses)
TRGS: Technische Regel für den Umgang mit Gefahrstoffen
VbF: Verordnung über brennbare Flüssigkeiten
VOC: flüchtige organische Verbindung (volatile organic compound)
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse

16.3 Key literature references and sources for data

DGUV: GESTIS-Stoffdatenbank
ECHA: Classification And Labelling Inventory
ECHA: Pre-registered Substances
ECHA: Registered Substances
EC_Safety Data Sheet of Suppliers
ESIS: European Chemical Substances Information System
GDL: Gefahrstoffdatenbank der Länder
UBA Rigoletto: Wassergefährdende Stoffe
Regulation (EC) No. 1907/2006 of the European Parliament and of the Council
Regulation (EC) No. 1272/2008 of the European Parliament and of the Council

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H412 Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.